

Safety Data Sheet

according to the federal final rule of hazard communication revised on 2012 (HazCom 2012)

Date of issue: 02/24/2010 Revision date: 06/01/2016 Supersedes: 05/26/2015

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name : OC Personal Protection Spray

Product name : 10% PEPPER STREAM (AEROSOL)

Product code : 3025, 3026, 4025, 4026, 6025, 7025, 80153, 80170, 80171, 80184, 80211, 80222, 80233,

80234, 80235, 80236, 80329, 80331, 80332, 80333, 80334, 80340, 80341, 80345, 80380, 80381, 80382, 80383, 80384, 80385, 80386, 80387, 80388, 80390, 80391, 80392, 80393,

Version: 3.1

80394, 80395, 80396, 80397, 80399, 80432, 80454, 80455, 80456, 9025

SDS ID : 2015002

1.2. Relevant identified uses of the substance or mixture and uses advised against

Self defense device

1.3. Details of the supplier of the safety data sheet

Mace Security International, Inc. 4400 Carnegie Avenue Cleveland, OH, 44103 Tel: 440-424-5321

1.4. Emergency telephone number

Emergency number : CHEMTREC (800) 424-9300

Outside USA: +1 703-527-3888

24 hours

Customer ID: CCN13561

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GHS-US classification

Compressed gas H280 Skin Irrit. 2 H315 Eye Irrit. 2A H319 STOT SE 3 H335

Full text of H-phrases: see section 16

2.2. Label elements

GHS-US labelling

Hazard pictograms (GHS-US)



<u>(!)</u>

GHS04

GHS07

Signal word (GHS-US) : Warning

Hazard statements (GHS-US) : H280 - Contains gas under pressure; may explode if heated

H315 - Causes skin irritation

H319 - Causes serious eye irritation H335 - May cause respiratory irritation

Precautionary statements (GHS-US) : P261 - Avoid breathing mist/vapors/spray

P264 - Wash face and hands thoroughly after handling P271 - Use only outdoors or in a well-ventilated area

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P302+P352 - If on skin: Wash with plenty of water

P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing

P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing
P312 - Call a poison center/doctor/... if you feel unwell
P321 - Specific treatment (see first aid measures on this label)
P332+P313 - If skin irritation occurs: Get medical advice/attent

P332+P313 - If skin irritation occurs: Get medical advice/attention P337+P313 - If eye irritation persists: get medical advice/attention P362+P364- Take off contaminated clothing and wash it before reuse

06/01/2016 EN (English) SDS ID: 2015002 Page 1

Safety Data Sheet

according to the federal final rule of hazard communication revised on 2012 (HazCom 2012)

P403+P233 - Store in a well-ventilated place. Keep container tightly closed

P405 - Store locked up

P410+P403 - Protect from sunlight. Store in a well-ventilated place

P501 - Dispose of contents/container to hazardous or special waste collection point, in

accordance with local, regional, national and/or international regulation.

2.3. Other hazards

No additional information available

2.4. Unknown acute toxicity (GHS-US)

Not applicable

SECTION 3: Composition/information on ingredients

3.1. Substance

Not applicable

3.2. Mixture

Name	Product identifier	%	GHS-US classification
Dipropylene glycol monomethyl ether	(CAS No) 34590-94-8	30 - 50	Flam. Liq. 4, H227 Eye Irrit. 2A, H319 STOT SE 3, H335
Resins, oleo-, capsicum	(CAS No) 8023-77-6	10	Skin Irrit. 2, H315 Eye Irrit. 2A, H319

Full text of H-phrases: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical

advice (show the label where possible).

First-aid measures after inhalation : Cough. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If

breathing is difficult, give oxygen. If not breathing, give artificial respiration. Call a POISON

CENTER or doctor/physician if you feel unwell.

First-aid measures after skin contact : Wash with plenty of soap and water. Wash contaminated clothing before reuse. Do not apply salves or creams to affected area. If skin irritation persists, seek medical attention.

First-aid measures after eye contact : Rinse immediately and thoroughly, pulling the eyelids well away from the eye (15 minutes

minimum). Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation

persists: Get medical advice/attention.

First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. If the person is fully conscious, make him/her drink

water. Never give an unconscious person anything to drink. Contact the Poison Control Centre

at 1-800-222-1222.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries after inhalation : Shortness of breath. May cause respiratory irritation.

Symptoms/injuries after skin contact : Causes skin irritation.

Symptoms/injuries after eye contact : Causes serious eye irritation.

Symptoms/injuries after ingestion : May cause irritation to mouth, throat and stomach upon direct contact.

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Water spray. Sand.

Unsuitable extinguishing media : Non known.

5.2. Special hazards arising from the substance or mixture

Fire hazard : Non-flammable aerosol.

Explosion hazard : Heat may build pressure, rupturing closed containers, spreading fire and increasing risk of

burns and injuries.

5.3. Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any

chemical fire. Prevent fire-fighting water from entering environment. DO NOT fight fire when fire

reaches explosives. Evacuate area.

Protective equipment for firefighters : Do not enter fire area without proper protective equipment, including respiratory protection.

06/01/2016 EN (English) SDS ID: 2015002 2/8

Safety Data Sheet

according to the federal final rule of hazard communication revised on 2012 (HazCom 2012)

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : No open flames. No smoking. Isolate from fire, if possible, without unnecessary risk. Remove

ignition sources. Use special care to avoid static electric charges.

6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel. For further information refer to section 8 : Exposure-

controls/personal protection.

6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection.

Emergency procedures : Ventilate area.

6.2. Environmental precautions

Prevent entry to sewers and public waters.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect

spillage. Store away from other materials.

6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Additional hazards when processed : Hazardous waste due to potential risk of explosion. Pressurized container: Do not pierce or

burn, even after use.

Precautions for safe handling : Wash hands and other exposed areas with mild soap and water before eating, drinking or

smoking and when leaving work. Provide good ventilation in process area to prevent formation

of vapor. Do not spray on an open flame or other ignition source. Avoid breathing dust/fume/gas/mist/vapors/spray. Use only outdoors or in a well-ventilated area.

Hygiene measures : Wash hands thoroughly after handling. Wash hands and other exposed areas with mild soap

and water before eating, drinking or smoking and when leaving work place.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Proper grounding procedures to avoid static electricity should be followed.

Storage conditions : Keep only in the original container in a cool, well-ventilated place. Do not expose to

temperatures exceeding 50 °C/ 122 °F. Keep in fireproof place. Keep container tightly closed.

Incompatible products : No additional information available.

Incompatible condition : Sources of ignition. Direct sunlight. Heat sources.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Dipropylene glycol monomethyl ether (34590-94-8)		
ACGIH	ACGIH TWA (ppm)	100 ppm
ACGIH	ACGIH STEL (ppm)	150 ppm
OSHA	OSHA PEL (TWA) (mg/m³)	600 mg/m³
OSHA	OSHA PEL (TWA) (ppm)	100 ppm

Resins, oleo-, capsicum (802	Resins, oleo-, capsicum (8023-77-6)	
ACGIH	Not applicable	
OSHA	Not applicable	

8.2. Exposure controls

Appropriate engineering controls : Emergency eye wash fountains and safety showers should be available in the immediate

vicinity of any potential exposure. Provide adequate ventilation.

06/01/2016 EN (English) SDS ID: 2015002 3/8

Safety Data Sheet

according to the federal final rule of hazard communication revised on 2012 (HazCom 2012)

Personal protective equipment : Protective goggles. Gloves. Protective clothing. Insufficient ventilation: wear respiratory

protection



Hand protection : Wear protective oil and chemical gloves.

Eye protection : Chemical goggles or safety glasses.

Skin and body protection : Wear suitable protective clothing.

Respiratory protection : In case of insufficient ventilation wear appropriate respiratory protection.

Other information : Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid

Appearance : Thin liquid/ Aerosol
Color : Light amber

Odor : Pungent, highly irritating

Odor threshold : No data available

pH : 4.5 - 6

Relative evaporation rate (butyl acetate=1) : No data available Melting point : No data available Freezing point : No data available

Boiling point : 100 - 190 °C (212 - 374 °F)

Flash point : 85 °C (185 °F)

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Flammability (solid, gas) : No data available

Vapor pressure : No data available

Relative vapor density at 20 °C : No data available

Relative density : 0.97 (water=1)

Solubility : Completely soluble in water

Log Pow: No data availableLog Kow: No data availableViscosity, kinematic: No data availableViscosity, dynamic: No data availableExplosive properties: No data availableOxidising properties: No data availableExplosive limits: No data available

9.2. Other information

Heat of Combustion : < 20 kJ/g (Calculated 8.25 - 13.75 kJ/g)

SECTION 10: Stability and reactivity

10.1. Reactivity

Thermal decomposition generates: Carbon dioxide, carbon monoxide and hydrocarbons.

10.2. Chemical stability

Stable at ambient temperature and under normal conditions of use.

Contains gas under pressure; may explode if heated. Extreme risk of explosion by shock, friction, fire or other sources of ignition.

10.3. Possibility of hazardous reactions

Hazardous polymerization may occur if exposure to fire conditions

10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures. Heat. Sparks. Open flame. Overheating.

06/01/2016 EN (English) SDS ID: 2015002 4/8

Safety Data Sheet

according to the federal final rule of hazard communication revised on 2012 (HazCom 2012)

10.5. Incompatible materials

No additional inforation available.

10.6. Hazardous decomposition products

Fume. Carbon monoxide. Carbon dioxide, hydrocarbons.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Not classified

Dipropylene glycol monomethyl ether (34590-94-8)	
LD50 oral rat	5230 mg/kg
LD50 dermal rabbit	9500 mg/kg
ATE US (oral)	5230.000 mg/kg bodyweight
ATE US (dermal)	9500.000 mg/kg bodyweight

Resins, oleo-, capsicum (8023-77-6)	
LC50 inhalation rat (mg/l)	> 10000 g/m³ (Exposure time: 4 h)

Skin corrosion/irritation : Causes skin irritation.

pH: 4 - 6

Serious eye damage/irritation : Causes serious eye irritation.

pH: 4 - 6

Respiratory or skin sensitisation : Not classified Germ cell mutagenicity : Not classified Carcinogenicity : Not classified

Reproductive toxicity : Not classified

Specific target organ toxicity (single exposure) : May cause respiratory irritation.

Specific target organ toxicity (repeated

exposure)

: Not classified

Aspiration hazard : Not classified

Potential Adverse human health effects and

symptoms

: Based on available data, the classification criteria are not met.

Symptoms/injuries after inhalation : Shortness of breath. May cause respiratory irritation.

Symptoms/injuries after skin contact : Causes skin irritation.

Symptoms/injuries after eye contact : Causes serious eye irritation.

SECTION 12: Ecological information

12.1. Toxicity

Log Pow

Dipropylene glycol monomethyl ether (34590-94-8)	
LC50 fish 1	> 10000 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])
EC50 Daphnia 1	1919 mg/l (Exposure time: 48 h - Species: Daphnia magna)

12.2. Persistence and degradability

10% PEPPER STREAM	
Persistence and degradability	Not established.

12.3. Bioaccumulative potential

10% PEPPER STREAM	
Bioaccumulative potential	Not established.
Dipropylene glycol monomethyl ether (34590-94-8)	

06/01/2016 EN (English) SDS ID: 2015002 5/8

-0.064 (at 20 °C)

Safety Data Sheet

according to the federal final rule of hazard communication revised on 2012 (HazCom 2012)

12.4. Mobility in soil

No additional information available

12.5. Other adverse effects

Effect on ozone layer : No additional information available

Effect on the global warming : No additional information available

Other information : Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste disposal recommendations : Dispose in a safe manner in accordance with local/national regulations. Container under

pressure. Do not drill or burn even after use.

Additional information : Flammable vapors may accumulate in the container.

Ecology - waste materials : Avoid release to the environment.

SECTION 14: Transport information

In accordance with DOT

Transport document description (ADR) : ID8000 Consumer commodity, 9

UN-No.(DOT) : ID8000

Proper Shipping Name (DOT) : Consumer commodity

Hazard Classes (DOT) : 9 - Class 9 - Miscellaneous hazardous material 49 CFR 173.140

Hazard labels (DOT) : 9 - Class 9 (Miscellaneous dangerous materials)



DOT Packaging Exceptions (49 CFR 173.xxx) : 167

DOT Packaging Non Bulk (49 CFR 173.xxx) : 167

DOT Packaging Bulk (49 CFR 173.xxx) : None

DOT Quantity Limitations Passenger aircraft/rail : 30 kg

(49 CFR 173.27)

DOT Quantity Limitations Cargo aircraft only (49 : 30 kg gross

CFR 175.75)

Additional information

Other information : No supplementary information available.

ADR

No additional information available

Transport by sea

No additional information available

Air transport

UN-No.(IATA) : 8000

Proper Shipping Name (IATA) : Consumer commodity

Class (IATA) : 9 - Miscellaneous Dangerous Goods

SECTION 15: Regulatory information

15.1. US Federal regulations

Dipropylene glycol monomethyl ether (34590-94-8)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
EPA TSCA Regulatory Flag	T - T - indicates a substance that is the subject of a Section 4 test rule under TSCA.

06/01/2016 EN (English) SDS ID: 2015002 6/8

Safety Data Sheet

according to the federal final rule of hazard communication revised on 2012 (HazCom 2012)

Resins, oleo-, capsicum (8023-77-6)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

15.2. International regulations

CANADA

	Dipropylene glycol monomethyl ether (34590-94-8)	
	Listed on the Canadian DSL (Domestic Sustances List)	
WHMIS Classification Class B Division 3 - Combustible Liquid		

Resins, oleo-, capsicum (8023-77-6)

Listed on the Canadian DSL (Domestic Sustances List)

EU-Regulations

Dipropylene glycol monomethyl ether (34590-94-8)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Classification according to Regulation (EC) No. 1272/2008 [CLP]

No information available

Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD]

No information available

15.2.2. National regulations

Dipropylene glycol monomethyl ether (34590-94-8)

Listed on the AICS (Australian Inventory of Chemical Substances)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory

Listed on the Korean ECL (Existing Chemicals List)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Listed on the Canadian IDL (Ingredient Disclosure List)

Resins, oleo-, capsicum (8023-77-6)

Listed on the AICS (Australian Inventory of Chemical Substances)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on the Korean ECL (Existing Chemicals List)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

15.3. US State regulations

SECTION 16: Other information

Revision date : 06/01/2016
Other information : None.
Indication of changes : Product code

Full text of H-phrases:

Compressed gas	Gases under pressure : Compressed gas	
Eye Irrit. 2A	Serious eye damage/eye irritation, Category 2A	
Flam. Liq. 4	Flammable liquids Category 4	
Skin Irrit. 2	Skin corrosion/irritation Category 2	
STOT SE 3	Specific target organ toxicity (single exposure) Category 3	
H227	Combustible liquid	
H280	Contains gas under pressure; may explode if heated	
H315	Causes skin irritation	
H319	Causes serious eye irritation	
H335	May cause respiratory irritation	

06/01/2016 EN (English) SDS ID: 2015002 7/8

Safety Data Sheet according to the federal final rule of hazard communication revised on 2012 (HazCom 2012)

The information presented herein is believed to be correct but is not purported to be all inclusive and shall be used only as a guide. AMSPEC Chemical shall not be held liable for any damage resulting from handling or from contact with the above product.

06/01/2016 EN (English) SDS ID: 2015002 8/8